
Resistance Test Vector



Resistance Test Vector





FIGURE 1


<u>nazena nezeac</u>




7

BEST AVAILABLE COPY

Drug Resistance: NRTI, NNRTI, PI








FIGURE 3

Drug Susceptibility Test Profile: Patient 487

notentad natas




FIGURE 4

=

Drug Susceptibility Test Profile: Site Directed Mutants





FIGURE 5

Drug Susceptibility Test Profile: Patient 268



6 of 13




FIGURE 6

Drug Susceptibility Test Profile: Site Directed Mutants





FIGURE 7

Drug Susceptibility Test Profile: Patient 302



8 of 13




FIGURE 8A

na zenzaa . nezeta

Drug Susceptibility Test Profile: Patient 780





FIGURE 8B

IC50 = 38.86882 IC50 = 34.56575

ddi-Comroi ddi-780


drug concentration [uM]

ş



ည အ FIGURE

Drug Susceptibility Test Profile: Site Directed Mutants



11 of 13

FIGURE 8D

Drug Susceptibility Test Profile: Patient 644




FIGURE 9A

IC50 = 33.57358 IC50 = 32.799

ddi -Control ddi -644

drug concentration [uM]

핗

Control 7

8 8 9 8

noitidirini &

-



